



An access database that contains information on the ecological parameters and preferences of species to certain habitats has been created as part of BioScore in order to store all this information. The current document is a simplified version of such database.

## References

Angelidis, M. O. & G. Kamizoulis, 2005. A rapid decision-making method for the evaluation of pollution-sensitive coastal areas in the Mediterranean Sea, *Environmental management* 35: 811-820.

Armitage, P. D., D. Moss & J. F. Wright, 1983. The performance of a new biological water quality score system based on macroinvertebrates over a wide range of unpolluted running-water sites, *Water Research* 17: 333-347.

Armitage, P. D. & J. Hogger, 1994. *Invertebrates Ecology and Methods of Survey*. Sandy RSPB, Bedfordshire.

Artemiadou, V. & M. Lazaridou, 2005. Evaluation score and interpretation index for the ecological quality of running waters in central and northern Hellas, *Environmental monitoring assessment* 110: 1-40.

Asher, J., M. Warren & R. Fox, 2001. *The millennium atlas of butterflies in Britain and Ireland*. Oxford University Press, Oxford.

Bakkenes, M., J. R. M. Alkemade & F. Ihle, 2002. Assessing effects of forecasted climate change on the diversity and distribution of European higher plants for 2050, *Global Change Biology* 8: 390-407.

Bækken, T. & G. Kjellberg, 2004. Classification of acidity and assessment of acidification in running waters based on the presence of macroinvertebrates. Classification system developed for humic rivers and brooks in Eastern Norway. Norwegian Institute for Water Research.

Bekker, R. M., J. H. J. Schaminée & J. P. Bakker, 1998. Seed bank characteristics of Dutch plant communities, *Acta Botanica Neerlandica* 47: 15-26.

Bekker, R. M., J. P. Bakker & W. A. Ozinga, 2003. Seed traits: essential for understanding seed longevity, *Aspects of Applied Biology* 69: 1-9.

Bink, F. A., 1992. *Ecologische Atlas van de Dagvlinders van Noordwest-Europa*. Schuyt and Co Uitgevers, Haarlem.

BirdLife, I., BirdLife Datazone.

BirdLife, I., 2004. *Birds in Europe: Population estimates, trends and conservation status*. Birdlife International.

Boitani, L., F. Corsi & A. Falcucci, 2002. *Rete Ecologica Nazionale. Un approccio alla conservazione dei vertebrati italiani*. Università di Roma 'La Sapienza', Dipartimento di Biologia Animale e dell'Uomo; Ministero dell'Ambiente, Direzione per la Conservazione della Natura; Istituto di Ecologia Applicata, Rome.

Braukmann, U. & R. Biss, 2004. Conceptual study - An improved method to assess acidification in German streams by using benthic macroinvertebrates, *Limnologia* 34: 433-450.

Cao, Y., A. W. Bark & W. P. Williams, 1996. Measuring the responses of macroinvertebrate communities to water pollution: a comparison of multivariate approaches, biotic and diversity indices, *Hydrobiologia* 341: 1-19.

Chesters, R. K., 1980. The 1978 National Testing Exercise. Reading Bridge House, Reading.

Clark, J. S., M. Lewis & J. S. McLachlan, 2003. Estimating population spread: What can we forecast and how well?, *Ecology* 84: 1979-1988.

Clarke, R. T., M. T. Furse & J. F. Wright, 1996. Derivation of a biological quality index for river sites: comparison of the observed with the expected fauna, *Journal of Applied Statistics* 23: 311-332.

Clarke, R. T., M. T. Furse & R. J. M. Gunn, 2002. Sampling variation in macroinvertebrate data and implications for river quality indices, *Freshwater Biology* 47: 1735-1751.

Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES), 2006.

Courtney, L. A. & W. H. Clements, 2002. Assessing the influence of water and substratum quality on macroinvertebrate communities in a metal-polluted stream: an experimental approach, *Freshwater Biology* 47: 1766-1778.

Cramp, S., K. E. L. Simmons & C. M. Perrins, 2004. Handbook of the Birds of Europe the Middle East and North Africa, The Birds of the Western Palearctic. Oxford University Press, Oxford.

Dahl, E., 1998. The phytogeography of northern Europe (British Isles, Fennoscandia and adjacent areas). Cambridge University Press, Cambridge, UK.

Dahl, J., R. K. Johnson & L. Sandin, 2004. Detection of organic pollution of streams in southern Sweden using benthic macroinvertebrates, *Hydrobiologia* 516: 161-172.

De Pauw, N. & G. Vanhooren, 1983. Method for biological quality assessment of water courses in Belgium, *Hydrobiologia* 100: 153-168.

del Hoyo, A. Elliott & J. Sargatal, 1992. Handbook of the Birds of the World. Vol. I: Ostrich to Ducks. Lynx Edicions, Barcelona.

Dennis, R. L. H., W. R. Williams & T. G. Shreeve, 1991. A Multivariate Approach to the Determination of Faunal Structures Among European Butterfly Species (Lepidoptera, Rhopalocera), *Zoological Journal of the Linnean Society* 101: 1-49.

Dennis, R. L. H., T. G. Shreeve & W. R. Williams, 1995. Affinity gradients among European butterflies: evidence for an historical component to species distributions, *Entomologist's Gazette* 46: 141-153.

Dennis, R. L. H., T. G. Shreeve & W. R. Williams, 1995. Taxonomic Differentiation in Species Richness Gradients Among European Butterflies (Papilionoidea, Hesperioidea) - Contribution of Macroevolutionary Dynamics, *Ecography* 18: 27-40.

Dennis, R. L. H., W. R. Williams & T. G. Shreeve, 1998. Faunal structures among European butterflies: evolutionary implications of bias for geography, endemism and taxonomic affiliation, *Ecography* 21: 181-203.

Dennis, R. L. H., W. R. Williams & T. G. Shreeve, 1998. Faunal structures among European butterflies: evolutionary implications of bias for geography, endemism and taxonomic affiliation, *Ecography* 21: 191-203.

Dulvy, N. K., J. R. Ellis & N. B. Goodwin, 2004. Methods of assessing extinction risk in marine fishes, *Fish and Fisheries* 5: 255-276.

Dulvy, N. K., S. Jennings & N. B. Goodwin, 2005. Comparison of threats and exploitation status in North-east Atlantic marine populations, *Journal of Applied Ecology* 42: 883-891.

Ebert, G. & E. Rennwald, 1991. Die Schmetterlings Baden-Württembergs. Band 1: Tagfalter I. Verlag Eugen Ulmer, Stuttgart.

Ebert, G. & E. Rennwald, 1991. Die Schmetterlings Baden-Württembergs. Band 2: Tagfalter II. Verlag Eugen Ulmer, Stuttgart.

Ellenberg, H., H. E. Weber & R. Düll, 1992. Zeigerwerte von Pflanzen in Mitteleuropa, *Scripta Geobotanica* 18: 1-258.

Elliott, J. M., 1994. Quantitative ecology and the brown trout. Oxford University Press, Oxford.

Emmet, A. M. & J. Heath, 1989. The moths and butterflies of Great Britain and Ireland, Vol 7 (1), The butterflies HesperIIDae to Nymphalidae. Harley Books, Colchester.

European Commission, Europe's most threatened birds.

European Topic Centre on Biological Diversity, EUNIS v2.

Fjellheim, A. & G. G. Raddum, 1990. Acid precipitation. Biological monitoring of streams and lakes, *The Science of the Total Environment* 96: 57-66.

Franco, A. M. A., J. K. Hill & C. Kitschke, 2006. Impacts of climate warming and habitat loss on extinctions at species' low-latitude range boundaries, *Global Change Biology* 12: 1545-1553.

Frank, D. & S. Klotz, 1990. Biologisch-ökologische Daten zur Flora der DDR.

Froese, R. & D. Pauly, Fish Base.

Gabriels W, P. L. M. Goethals & N. De Pauw, 2005. Implications of taxonomic modifications and alien species on biological water quality assessment as exemplified by the Belgian Biotic Index method, *Hydrobiologia* 542: 137-150.

Gasc, J. P., A. Cabela & J. Crnobrnja-Isailovic, 1997. Atlas of amphibians and reptiles in Europe. Societas Europaea Herpetologica, Muséum National d'Histoire Naturelle & Service du Patrimoine Naturel, Paris.

Guerold, F., J. Boudot & G. Jacquemin, 2000. Macroinvertebrate community loss as a result of headwater stream acidification in the Vosges Mountains (N-E France), *Biodiversity and Conservation* 9: 767-783.

Habitat, D., 1992.

- Hagemeijer, W. J. & M. J. Blair, 1997. The EBCC Atlas of European breeding birds. Their distribution and abundance. Poyser TA.
- Hanneke, E. V., P. F. M. Verdonchot & R. C. Nijboer, 2004. Towards a multimetric index for the assessment of Dutch streams using benthic macroinvertebrates, *Hydrobiologia* 516: 173-189.
- Hansen, A. J. & D. L. Urban, 1992. Avian response to landscape pattern: the role of species' life histories, *Landscape Ecology* 7: 163-180.
- Heiskanen, A. S., d. Van & A. C. Cardoso, 2004. Towards good ecological status of surface waters in Europe – interpretation and harmonisation of the concept, *Water Science and Technology* 49: 169-177.
- Hellawell, J. M., 1986. *Biological Indicators of Freshwater Pollution And Environmental Management*.
- Hennekens, S. M., J. H. J. Schaminée & A. H. F. Stortelder, 2001. SynBioSys. Een biologisch kennissysteem ten behoeve van natuurbeheer, natuurbeleid en natuurontwikkeling. Alterra, Wageningen.
- Henrikson, L. & M. Medin, 1986. Biologisk bedömning av försurningspåverkan på Lelångens tillflöden och grundområden 1986.
- Hill, J. K., C. D. Thomas & B. Huntley, 1999. Climate and habitat availability determine 20th century changes in a butterfly's range margin, *Proceedings of the Royal Society of London Series B-Biological Sciences* 266: 1197-1206.
- Hill, J. K., C. D. Thomas & R. Fox, 2002. Responses of butterflies to twentieth century climate warming: implications for future ranges, *Proceedings of the Royal Society of London Series B-Biological Sciences* 269: 2163-2171.
- Hill, M. O., J. O. Mountford & D. B. Roy, 1999. *Ellenberg's Indicator Values for British Plants*. Institute for Terrestrial Ecology / Department of Environment, Transport and Regions (NERC), Huntingdon.
- Hultén, E., 1958. The amphi-atlantic plants and their phytogeographical connections.
- Hultén, E., 1962. The circumpolar plants, Vol. I: Vascular cryptogams, conifers, monocotyledons.
- Hultén, E., 1971. The circumpolar plants, Vol. II: Dicotyledons.
- Hultén, E. & M. Fries, 1986. *Atlas of North European vascular plants, north of the tropic of cancer*. Königstein.
- Huntley, B., R. E. Green & Y. E. Collingham, 2004. The performance of models relating species geographical distributions to climate is independent of trophic level, *Ecology Letters* 7: 417-426.
- Hynes, H. B. N., 1970. *The ecology of running waters*.
- Inen, H. & P. Huttunen, 1998. Macroinvertebrate inferred streamwater acidity in North Eastern Finland along a sulphur deposition gradient, *Water, Air, and Soil Pollution* 104: 223-236.
- International Wader Study Group, *Arctic Bird Species Database*. Blackwell Publishing, Oxford, UK.

- IUCN, 2006. IUCN Red List.
- IUCN, I. Conservation & NatureServe, 2006. Global Reptiles Assessment.
- IUCN, I. Conservation & NatureServe, 2006. Global Mammals Assessment.
- IUCN, I. Conservation & NatureServe, 2006. Global Amphibian Assessment.
- Jalas, J. & J. Suominen, 1972. Atlas Florae Europaeae. Distribution of vascular plants in Europe 1-9. Pteridophyta to Capparaceae. Helsinki.
- Johnson, R. K., D. Hering & M. T. Furse, 2006. Indicators of ecological change: comparison of the early response of four organism groups to stress gradients, *Hydrobiologia* 566: 139-152.
- Johst, K., M. Drechsler & J. Thomas, 2006. Influence of mowing on the persistence of two endangered large blue butterfly species, *Journal of Applied Ecology* 43: 333-342.
- Jonsson, B. & N. Jonsson, 2001. Polymorphism and speciation in Arctic charr, *Journal of Fish Biology* 58: 605-638.
- Karr, J. R. & E. N. Chu, 1999. Restoring Life in Running Waters. Better Biological Monitoring.
- Karsholt, O. & J. Razowski, 1996. The Lepidoptera of Europe. A distributional checklist.
- Keener, A. & W. E. Sharpe, 2005. The Effects of Doubling Limestone Sand. Applications in Two Acidic Southwestern Pennsylvania Streams, *Restoration Ecology* 13: 108-119.
- Klemm, D. J., K. A. Blocksom & W. T. Thoeny, 2002. Methods Development and use of Macroinvertebrates as Indicators of Ecological Conditions for Streams in the Mid-Atlantic Highlands Region, *Environmental Monitoring and Assessment* 78: 169-212.
- Kleyer, M., R. M. Bekker & I. C. Knevel, The LEDA Traitbase: A database of plant life-history traits of North West Europe.
- Knevel, I. C., R. M. Bekker & D. Kunzmann, 2005. The LEDA traitbase collecting and measuring standards of life-history traits of the Northwest European Flora. Universiteit Groningen, Groningen.
- Konvicka, M., Z. Fric & J. Benes, 2006. Butterfly extinctions in European states: do socioeconomic conditions matter more than physical geography?, *Global Ecology and Biogeography* 15: 82-92.
- Kottelat, M., 1997. European freshwater fishes, *Biologia* 52 (Suppl. 5): 1-271.
- Kottelat, M., 1998. Systematics, species concepts and the conservation of freshwater fish diversity in Europe, *Italian Journal of Zoology* 65 (Suppl. S): 65-72.
- Kudrna, O., 1986. Aspects of the conservation of butterflies in Europe. AULA-Verlag, Wiesbaden.
- Kudrna, O., 2002. The distribution atlas of European butterflies, *Oedipus* 20: 1-342.
- Landolt, E., 1977. *Ökologische Zeigerwerte der Schweizer Flora*.
- Lepori, F. & S. J. Ormerod, 2005. Effects of spring acid episodes on macroinvertebrates revealed by population data and in situ toxicity tests, *Freshwater Biology* 50: 1568-1577.

- Madsen, J., G. Cracknell & T. Fox, 1999. Goose Populations of the Western Palearctic. A review of status and distribution. Wetlands International and NERI, Wageningen and Rönne.
- Maes, D. & D. van, 1999. Dagvlinders in Vlaanderen. Stichting Leefmilieu, Antwerpen.
- Maes, D., W. Vanreusel & W. Talloen, 2004. Functional conservation units for the endangered Alcon Blue butterfly *Maculinea alcon* in Belgium (Lepidoptera : Lycaenidae), Biological Conservation. 120: 229-241.
- Maitland, P. S., 2000. Guide to freshwater fish of Britain and Europe. Octopus Publishing Groups, London.
- Mason, C. F., 1991. Biology of Freshwater Pollution. 2nd edition. Elsevier Applied Science Publishers, London, New York.
- Metcalf, J. L., 1989. Biological water quality assessment of running waters based on macroinvertebrate communities: History and Present Status in Europe, Environmental Pollution 60: 101-139.
- Meusel, E., E. Jäger & S. Rauschert, 1965. Vergleichende Chorologie der zentraleuropäischen Flora.
- Meusel, E., E. Jäger & S. Rauschert, 1992. Vergleichende Chorologie der zentraleuropäischen Flora. Liverpool University Press, Liverpool.
- Mitchell-Jones, A. J., G. Amori & W. Bodganowicz, 1999. The Atlas of European Mammals. Island Press, Washington DC.
- Monteith, D. T., A. G. Hildrew & R. J. Flower, 2005. Biological responses to the chemical recovery of acidified fresh waters in the UK, Environmental Pollution 137: 83-101.
- Mulder, C., T. Aldenberg & Z. de, 2005. Evaluating the impact of pollution on plant-Lepidoptera relationships, Environmetrics 16: 357-373.
- Ockinger, E., O. Hammarstedt & S. G. Nilsson, 2006. The relationship between local extinctions of grassland butterflies and increased soil nitrogen levels, Biological Conservation 128: 564-573.
- Oostermeijer, J. G. B. & S. Van, 1998. The relationship between butterflies and environmental indicator values: a tool for conservation in a changing landscape, Biological Conservation 86: 271-280.
- Ozinga, W. A., R. M. Bekker & J. H. J. Schaminée, 2004. Dispersal potential in plant communities depends on environmental conditions, Journal of Ecology 92: 767-777.
- Ozinga, W. A. & J. H. J. Schaminée, 2004. The development of ecological information systems, a new tool in biological research. Recent Res. Devel. Environ. Biol. 531-551.
- Ozinga, W. A., S. M. Hennekens & J. H. J. Schaminée, 2005. Assessing the relative importance of dispersal in plant communities using an ecoinformatics approach, Folia Geobotanica 40: 53-68.
- Ozinga, W. A. & J. H. J. Schaminée, 2005. Target species - Species of European concern. Alterra, Wageningen.

Ozinga, W. A., J. H. J. Schaminée & R. M. Bekker, 2005. Predictability of plant species composition from environmental conditions is constrained by dispersal limitation, *Oikos* 108: 555-561.

Ozinga, W. A. & J. H. J. Schaminée, 2007. Can vascular plants track the effects of climate change? *Wettelijke Onderzoekstaken Natuur & Milieu*.

Østbye, K., P. A. Amundsen & L. Bernatchez, 2006. Parallel evolution of ecomorphological traits in the European whitefish *Coregonus lavaretus* (L.) species complex during postglacial times, *Molecular Ecology* 15: 3983-4001.

Parent, S. & L. M. Schriml, 1995. A model for the determination of fish species at risk based upon life-history traits and ecological data, *Canadian Journal of Fisheries and Aquatic Sciences* 52: 1768-1781.

Pignatti, S., Indicator values for Italy.

Pignatti, S., P. Bianco & G. Fanelli, 2001. Reliability and effectiveness of Ellenberg's indices in checking flora and vegetation changes induced by climatic variations. Fingerprints of climate change - Adapted behaviour and shifting species ranges.

Pleguezuelos, J. M., R. Márquez & M. Lizana, 2002. Atlas y Libro Rojo de los Anfibios y Reptiles de España. Dirección General de la Conservación de la naturaleza-Asociación Herpetológica Española (2ª impresión), Madrid.

Pollard, E. & T. J. Yates, 1993. Monitoring butterflies for ecology and conservation. Chapman and Hall, London.

Preston, C. D., D. A. Pearman & T. D. Dines, 2002. New atlas of the British and Irish flora. Oxford University Press, Oxford.

Pullin, A. S., 1995. Ecology and Conservation of Butterflies. Chapman and Hall, London.

Raddum, G. G., 1999. Large scale monitoring of invertebrates: Aims, possibilities and acidification indexes. Workshop on biological assessment and monitoring: evaluation of models.

Ramenskij, L., I. A. Cacenkin & O. N. Èizkov, 1956. *Ecologičeskaja ocenka kormovykh ugodi po rastitel'nomu pokrovu*.

Reynolds, J. D., N. K. Dulvy & C. M. Roberts, 2002. Exploitation and other threats to fish conservation. *Handbook of fish biology and fisheries*. 319-341.

Reynolds, J. D., 2003. Life histories and extinction risk. *Macroecology*. 195-217.

Reynolds, J. D., N. K. Dulvy & N. B. Goodwin, 2005. Biology of extinction risk in marine fishes, *Proceedings of the Royal Society B* 272: 2337-2344.

Reynolds, J. D., T. J. Webb & L. A. Hawkins, 2005. Life history and ecological correlates of extinction risk in European freshwater fishes, *Canadian Journal of Fisheries and Aquatic Sciences* 62: 854-862.

Rochet, M. J., 2000. May life history traits be used as indices of population viability?, *Journal of Sea Research* 44: 145-157.

Royal, S. f. t. P. o. B., RSPB European Farmland Bird Database.

- Sandin, L. & R. K. Johnson, 2000. The statistical power of selected indicator metrics using macroinvertebrates for assessing acidification and eutrofication of running waters, *Hydrobiologia* 422: 233-243.
- Sandin, L., J. Dahl & R. K. Johnson, 2004. Assessing acid stress in Swedish boreal and alpine streams using benthic macroinvertebrates, *Hydrobiologia* 516: 129-158.
- Sandin, L. & D. Hering, 2004. Comparing macroinvertebrate indices to detect organic pollution across Europe: A contribution to the EC Water Framework Directive intercalibration, *Hydrobiologia* 516: 55-68.
- Savvaitova, K. A., 1995. Patterns of diversity and processes of speciation in Arctic charr, *Nordic Journal of Freshwater Research* 71: 81-91.
- Schaminée, J. H. J., D. van & B. de, 1992. Europese en mondiale verspreiding van Nederlandse vaatplanten. *Gorteria*. 57-96.
- Schaminée, J. H. J. & S. M. Hennekens, 2001. TURBOVEG, MEGATAB und SYNBIOSYS: neue Entwicklungen in der Pflanzensoziologie, *Berichte der Reinhold-Tüxen-Gesellschaft* 13: 27-43.
- Schaminée, J. H. J., K. van & W. A. Ozinga, 2002. The analysis of long-term changes in plant communities: case studies from the Netherlands, *Phytocoenologia* 32: 317-335.
- Schaminée, J. H. J. & S. M. Hennekens, 2004. SynBioSys Europe - een biologisch informatiesysteem ten behoeve van het Europese natuurbeleid. *Stratiotes*. 11-19.
- Schaminée, J. H. J. & S. M. Hennekens, 2005. SynBioSys Europe - examples from European forest communities, *Botanika Chronika* 18: 201-210.
- Schmitt, T. & G. M. Hewitt, 2004. The genetic pattern of population threat and loss: a case study of butterflies, *Molecular Ecology* 13: 21-31.
- Scott, D. A. & P. M. Rose, 1996. Atlas of Anatidae Population in Africa and Western Eurasia Wetlands International. Wetlands International.
- Sibley, C. G. & B. L. J. Monroe, 1990. Distribution and taxonomy of birds of the world. Yale University Press, New Haven and London.
- Sibley, C. G. & B. L. J. Monroe, 1993. A supplement to distribution and taxonomy of birds of the world. Yale University Press, New Haven and London.
- Sindaco, R., G. Doria & E. Mazzetti, 2006. Atlas of Italian amphibians and reptiles. *Societas Herpetologica Italica*, Edizioni Polistampa, Firenze.
- Soons, M. B. & W. A. Ozinga, 2005. How important is long-distance seed dispersal for the regional survival of plant species?, *Diversity and Distributions* 11: 165-172.
- Stefanescu, C., J. Penuelas & I. Filella, 2005. Butterflies highlight the conservation value of hay meadows highly threatened by land-use changes in a protected Mediterranean area, *Biological Conservation* 126: 234-246.
- Tax, M. H., 1989. Atlas van de Nederlandse dagvlinders. De Vlinderstichting Wageningen en Vereniging tot Behoud van Natuurmonumenten, 's-Graveland.



- Telfer, M. G., C. D. Preston & P. Rothery, 2002. A general method for measuring relative change in range size from biological atlas data, *Biological Conservation* 107: 99-109.
- Ten, B., R. Alkemade & M. Bakkenes, 2006. Cross-roads of Planet Earth's Life. Exploring means to meet the 2010-biodiversity target.
- Thomas, C. D., A. Cameron & R. E. Green, 2004. Extinction risk from climate change, *Nature* 427: 145-148.
- Thompson, K., J. P. Bakker & R. M. Bekker, 1997. *Soil Seed Banks of North West Europe: Methods, Density and Longevity*. Cambridge University Press, Cambridge, UK.
- Thorne, R. & P. Williams, 1997. The response of benthic macroinvertebrates to pollution in developing countries: a multimetric system of bioassessment, *Freshwater Biology* 37: 671-687.
- Thuiller, W., S. Lavorel & M. B. jo, 2005. Niche properties and geographical extend as predictors of species sensitivity to climate change, *Global Ecology and Biogeography* 14: 347-357.
- Thuiller, W., S. Lavorel & M. B. Araújo, 2005. Climate change threats to plant diversity in Europe, *PNAS* 23: 8245-8250.
- Tipping, E., J. A. B. Bass & D. Hardie, 2002. Biological responses to the reversal of acidification in surface waters of the English Lake District, *Environmental Pollution* 116: 137-146.
- Tucker, G. M. & M. F. Heath, 1994. *Birds in Europe. Their conservation status*. BirdLife International, Cambridge, UK.
- Tucker, G. M. & M. I. Evans, 1997. *Habitats for birds in Europe. A conservation strategy for the wider environment*. BirdLife International, Cambridge, UK.
- Tutin, T. G., V. H. Heywood & N. A. Burges, 1964. Cambridge.
- UNEP, W. C. M. C., *Waterbird Migration Routes*.
- UNEP, W. C. M. C., *UNEP-WCMC Species Database*. Kluwer Academic, New York and London.
- UNEP/CMS & BfN, *Global register of migratory species (GROMS)*.
- van Halder, I., I. Wynhoff & S. Van, 2002. *The interactive guide to Butterflies of Europe*. De Vlinderstichting.
- Van Swaay & M. Warren, 1999. *Red Data Book of European Butterflies (Rhopalocera)*. Convention on the Conservation of European Wildlife and Natural Habitats (Bern Convention). Nature and Environment, no. 99, Council of Europe Publishing, Strasbourg.
- Van Swaay, 2004. *Trends for butterfly species in Europe*. De Vlinderstichting, Wageningen.
- Van Swaay, M. Warren & G. Lois, 2006. Biotope use and trends of European butterflies, *Journal of Insect Conservation* 10: 189-209.
- Vandewoestijne, S. & M. Baguette, 2004. Genetic population structure of the vulnerable bog fritillary butterfly, *Hereditas* 141: 199-206.

vy-Bowker, J., J. F. Murphy, G. P. Rutt, A. Fjellheim, G. G. Raddum, J. vy-Bowker, J. F. Murphy, G. P. Rutt & G. G. Raddum, 2005. The development and testing of a macroinvertebrate biotic index for detecting the impact of acidity on streams, *Archiv fur Hydrobiologie* 163: 383-403.

Walley, W. J. & H. A. Hawkes, 1996. A computer based reappraisal of the Biological Monitoring Working Party Scores using data from the 1990 river quality survey of England and Wales, *Water Research* 9: 2086-2094.

Wallisdevries, M. F. & S. Van, 2006. Global warming and excess nitrogen may induce butterfly decline by microclimatic cooling, *Global Change Biology* 12: 1620-1626.

Wilson, D. E. & D. M. Reeder, 2005. *Mammal Species of the World*. University Press.

Wilson, K. A., M. I. Westphal & H. P. Possingham, 2005. Sensitivity of conservation planning to different approaches to using predicted species distribution data, *Biological Conservation* 122: 99-112.

Wynhoff, I., S. Van & d. van, 1999. *Veldgids Dagvlinders*. Stichting Uitgeverij KNNV Utrecht en De Vlinderstichting Wageningen.

Zamora-Munoz, C., C. E. Saiz-Cantero & A. Sanchez-Ortega, 1995. Are biological indices 'BMWP' and 'ASPT' and their significance regarding water quality seasonally dependent? Factors explaining their variations, *Water Research* 29: 285-290.

Zamora-Munoz, C. & J. ba-Tercedor, 1996. Bioassessment of Organically Polluted Spanish Rivers, Using a Biotic Index and Multivariate Methods, *Journal of the North American Benthological Society* 15: 332-352.

Author: Gerald LOUETTE, Research Institute for Nature and Forest