

TERRESTRIAL ATLANTIC REGION

REFERENCE LIST

March 2016

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
<b>HABITAT TYPES</b>											
1130		Estuaries	X	X	X	X	X	X	X	X	X
1140		Mudflats and sandflats not covered by seawater at low tide	X	X	X	X	X	X	X	X	X
1150	*	Coastal lagoons		X	X	X	X	X			X
1160		Large shallow inlets and bays		X	X	X	X	X	X		X
1210		Annual vegetation of drift lines		X	X	X	X	X		X	X
1220		Perennial vegetation of stony banks		X	X		X	X			X
1230		Vegetated sea cliffs of the Atlantic and Baltic Coasts		X	X	X	X	X		X	X
1310		Salicornia and other annuals colonizing mud and sand	X	X	X	X	X	X	X	X	X
1320		Spartina swards ( <i>Spartinion maritimae</i> )	X	X	X	X	X	X	X	X	X
1330		Atlantic salt meadows ( <i>Glauco-Puccinellietalia maritimae</i> )	X	X	X	X	X	X	X	X	X
1340	*	Inland salt meadows		X							X
1410		Mediterranean salt meadows ( <i>Juncetalia maritimi</i> )					X	X			
1420		Mediterranean and thermo-Atlantic halophilous scrubs ( <i>Sarcocornetea fruticosi</i> )				X	X	X		X	X
2110		Embryonic shifting dunes	X	X	X	X	X	X	X	X	X
2120		Shifting dunes along the shoreline with <i>Ammophila arenaria</i> ("white dunes")	X	X	X	X	X	X	X	X	X
2130	*	Fixed coastal dunes with herbaceous vegetation ("grey dunes")	X	X	X	X	X	X	X	X	X
2140	*	Decalcified fixed dunes with <i>Empetrum nigrum</i>		X	X			X	X		X
2150	*	Atlantic decalcified fixed dunes ( <i>Calluno-Ulicetea</i> )	X	X			X	X	X	X	X
2160		Dunes with <i>Hippophaë rhamnoides</i>	X	X	X		X		X		X
2170		Dunes with <i>Salix repens</i> ssp. <i>argentea</i> ( <i>Salicion arenariae</i> )	X	X	X		X	X	X		X
2180		Wooded dunes of the Atlantic, Continental and Boreal region	X	X	X		X		X	X	
2190		Humid dune slacks	X	X	X		X	X	X	X	X
21A0		Machairs (* in Ireland)						X			X
2230		<i>Malcolmietalia</i> dune grasslands				X				X	
2250	*	Coastal dunes with <i>Juniperus</i> spp.			X						X



Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
4090		Endemic oro-Mediterranean heaths with gorse				X	X				
5110		Stable xerothermophilous formations with <i>Buxus sempervirens</i> on rock slopes (Berberidion p.p.)	X			X	X				X
5120		Mountain <i>Cytisus purgans</i> formations				X					
5130		<i>Juniperus communis</i> formations on heaths or calcareous grasslands	X	X	X		X	X	X		X
5210		Arborescent matorral with <i>Juniperus</i> spp.				X					
5230	*	Arborescent matorral with <i>Laurus nobilis</i>				X				X	
6110	*	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi		X			X		X		
6120	*	Xeric sand calcareous grasslands	X	X			X		X		
6130		Calaminarian grasslands of the <i>Violetalia calaminariae</i>		X			X	X	X		X
6140		Siliceous Pyrenean <i>Festuca eskia</i> grasslands				X					
6150		Siliceous alpine and boreal grasslands									X
6160		Oro-Iberian <i>Festuca indigesta</i> grasslands				X				X	
6170		Alpine and subalpine calcareous grasslands				X					X
6210		Semi-natural dry grasslands and scrubland facies on calcareous substrates ( <i>Festuco-Brometalia</i> ) (* important orchid sites)	X	X	X	X	X	X	X		X
6220	*	Pseudo-steppe with grasses and annuals of the Thero-Brachypodietea				X	X				
6230	*	Species-rich <i>Nardus</i> grasslands, on siliceous substrates in mountain areas (and submountain areas, in Continental Europe)	X	X	X	X	X	X	X	X	X
6240	*	Sub-Pannonic steppic grasslands		X							
6410		<i>Molinia</i> meadows on calcareous, peaty or clayey-silt-laden soils ( <i>Molinion caeruleae</i> )	X	X	X	X	X	X	X	X	X
6420		Mediterranean tall humid grasslands of the <i>Molinio-Holoschoenion</i>				X	X				
6430		Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	X	X	X	X	X	X	X	X	X
6440		Alluvial meadows of river valleys of the <i>Cnidion dubii</i>		X							
6510		Lowland hay meadows ( <i>Alopecurus pratensis</i> , <i>Sanguisorba officinalis</i> )	X	X		X	X	X	X	X	X
6520		Mountain hay meadows									X
7110	*	Active raised bogs	X	X	X	X	X	X	X		X
7120		Degraded raised bogs still capable of natural regeneration	X	X	X	SR	X	X	X		X

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
7130		Blanket bogs (* if active bog)				X	X	X			X
7140		Transition mires and quaking bogs	X	X	X	X	X	X	X	X	X
7150		Depressions on peat substrates of the Rhynchosporion	X	X	X	X	X	X	X	X	X
7210	*	Calcareous fens with Cladium mariscus and species of the Caricion davallianae	X	X		X	X	X	X		X
7220	*	Petrifying springs with tufa formation (Cratoneurion)	X	X	X	X	X	X	X		X
7230		Alkaline fens	X	X	X	X	X	X	X		X
7240	*	Alpine pioneer formations of Caricion bicoloris-atrofuscae									X
8110		Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsietalia ladani)					X	X			X
8120		Calcareous and calcshist screes of the montane to alpine levels (Thlaspietea rotundifolii)						X			X
8130		Western Mediterranean and thermophilous scree				X	X				
8150		Medio-European upland siliceous screes					X				
8160	*	Medio-European calcareous scree of hill and montane levels					X				
8210		Calcareous rocky slopes with chasmophytic vegetation				X	X	X			X
8220		Siliceous rocky slopes with chasmophytic vegetation				X	X	X		X	X
8230		Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii		X		X	X			X	
8240	*	Limestone pavements						X			X
8310		Caves not open to the public	X			X	X	X		X	X
9110		Luzulo-Fagetum beech forests	X	X	X		X		X		
9120		Atlantic acidophilous beech forests with Ilex and sometimes also Taxus in the shrublayer (Quercion robori-petraeae or Ilici-Fagenion)	X	X	X	X	X		X		X
9130		Asperulo-Fagetum beech forests	X	X	X		X				X
9150		Medio-European limestone beech forests of the Cephalanthero-Fagion	X	X		X	X				
9160		Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	X	X	X	X	X		X		X
9170		Galio-Carpinetum oak-hornbeam forests		X							
9180	*	Tilio-Acerion forests of slopes, screes and ravines	X	X		SR	X				X
9190		Old acidophilous oak woods with Quercus robur on sandy plains	X	X	X		X		X		X

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
91A0		Old sessile oak woods with Ilex and Blechnum in the British Isles						X			X
91B0		Thermophilous Fraxinus angustifolia woods				SR					
91C0	*	Caledonian forest									X
91D0	*	Bog woodland	X	X	X		X	X	X		X
91E0	*	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	X	X	X	X	X	X	X	X	X
91F0		Riparian mixed forests of Quercus robur, Ulmus laevis and Ulmus minor, Fraxinus excelsior or Fraxinus angustifolia, along the great rivers (Ulmenion minoris)	X	X			X		X		
91J0	*	Taxus baccata woods of the British Isles						X			X
91T0		Central European lichen Scots pine forests		X							
9230		Galicio-Portuguese oak woods with Quercus robur and Quercus pyrenaica				X	X			X	
9240		Quercus faginea and Quercus canariensis Iberian woods				X					
9260		Castanea sativa woods				X	X				
92A0		Salix alba and Populus alba galleries				X	X				
9330		Quercus suber forests				X	X				
9340		Quercus ilex and Quercus rotundifolia forests				X	X				
9380		Forests of Ilex aquifolium				X				X	
9540		Mediterranean pine forests with endemic Mesogean pines					X				
9560	*	Endemic forests with Juniperus spp.				X					
9580	*	Mediterranean Taxus baccata woods				X					
<b>MAMMALS</b>											
1301		Galemys pyrenaicus				X	X			X	
1302		Rhinolophus mehelyi				X					
1303		Rhinolophus hipposideros	X			X	X	X		X	X
1304		Rhinolophus ferrumequinum	X			X	X			X	X
1305		Rhinolophus euryale				X	X			X	
1307		Myotis blythii				X	X				
1308		Barbastella barbastellus	X	X		X	X			X	X
1310		Miniopterus schreibersii				X	X			X	



Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
1113	*	<i>Coregonus oxyrhynchus</i>		X	X						
1116		<i>Chondrostoma polylepis</i>				X				X	
1126		<i>Chondrostoma toxostoma</i>				X	X				
1127		<i>Rutilus arcasii</i>				X				SR	
1130		<i>Aspius aspius</i>		X							
1138		<i>Barbus meridionalis</i>					X				
1145		<i>Misgurnus fossilis</i>	X	X	X		X		X		
1149		<i>Cobitis taenia</i>	X	X		X	X		X		X
1163		<i>Cottus gobio</i>	X	X		X	X		X		X
5339		<i>Rhodeus amarus</i>	X	X			X		X		
<b>INVERTEBRATES</b>											
1007		<i>Elona quimperiana</i>				X	X				
1013		<i>Vertigo geyeri</i>			SR			X			X
1014		<i>Vertigo angustior</i>	X	X			X	X	X		X
1015		<i>Vertigo genesii</i>									X
1016		<i>Vertigo moulinsiana</i>	X	X			X	X	X		X
1024		<i>Geomalacus maculosus</i>				X		X		X	
1029		<i>Margaritifera margaritifera</i>		X	X	X	X	X		SR	X
1032		<i>Unio crassus</i>	X	X			X				
1036		<i>Macromia splendens</i>				X	X				
1037		<i>Ophiogomphus cecilia</i>		X	X		X		X		
1041		<i>Oxygastra curtisii</i>				X	X			X	
1042		<i>Leucorrhinia pectoralis</i>	X	X			X		X		
1044		<i>Coenagrion mercuriale</i>		X		X	X				X
1046		<i>Gomphus graslinii</i>				X	X				
1060		<i>Lycaena dispar</i>		EX			X		X		
1065		<i>Euphydryas aurinia</i>		X	X	X	X	X		X	X
1071		<i>Coenonympha oedippus</i>					X				
1074		<i>Eriogaster catax</i>				X	X				

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
1079		<i>Limoniscus violaceus</i>				X	X				X
1081		<i>Dytiscus latissimus</i>							X		
1082		<i>Graphoderus bilineatus</i>		X			X		X		
1083		<i>Lucanus cervus</i>	X	X		X	X		X	X	X
1084	*	<i>Osmoderma eremita</i>		X			X				
1086		<i>Cucujus cinnaberinus</i>				X					
1087	*	<i>Rosalia alpina</i>				X	X				
1088		<i>Cerambyx cerdo</i>		X		X	X			X	
1092		<i>Austropotamobius pallipes</i>				X	X	X			X
1990		<i>Margaritifera durrovensis</i>						X			
4035		<i>Gortyna borelii lunata</i>					X				X
4045		<i>Coenagrion ornatum</i>		X							
4056		<i>Anisus vorticulus</i>	X	X			X		X		X
6177		<i>Phengaris teleius</i>					X		X		
6179		<i>Phengaris nausithous</i>		X		X			X		
6199	*	<i>Euplagia quadripunctaria</i>	X	X		X	X		X	X	SR
<b>PLANTS</b>											
1383		<i>Dichelyma capillaceum</i>		X			X				
1385		<i>Bruchia vogesiaca</i>								X	SR
1386		<i>Buxbaumia viridis</i>									X
1387		<i>Orthotrichum rogeri</i>							X		SR
1388	*	<i>Bryoerythrophyllum campylocarpum</i>								X	
1390	*	<i>Marsupella profunda</i>								X	X
1395		<i>Petalophyllum ralfsii</i>						X			X
1398		<i>Sphagnum pylaesii</i>				X	X				
1416		<i>Isoetes boryana</i>					X				
1419		<i>Botrychium simplex</i>		X							
1420		<i>Culcita macrocarpa</i>				X				X	
1421		<i>Trichomanes speciosum</i>				X	X	X		X	X



Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
1425	*	<i>Dryopteris corleyi</i>				X					
1426		<i>Woodwardia radicans</i>				X				X	
1428		<i>Marsilea quadrifolia</i>					X				
1437		<i>Thesium ebracteatum</i>		X							
1441		<i>Rumex rupestris</i>				X	X				X
1493		<i>Sisymbrium supinum</i>					X				
1506	*	<i>Biscutella neustriaca</i>					X				
1528		<i>Saxifraga hirculus</i>			X			X			X
1585	*	<i>Viola hispida</i>					X				
1601	*	<i>Oenanthe coniooides</i>		X							
1603	*	<i>Eryngium viviparum</i>				X	X				
1607	*	<i>Angelica heterocarpa</i>					X				
1614		<i>Apium repens</i>	X	X		X	X		X		X
1618		<i>Thorella verticillatinundata</i>					X				
1625		<i>Soldanella villosa</i>				X	X				
1639		<i>Limonium lanceolatum</i>				X					
1654		<i>Gentianella anglica</i>									X
1658	*	<i>Centaurea somedanum</i>				X					
1676	*	<i>Omphalodes littoralis</i>				X	X				
1733		<i>Veronica micrantha</i>				X				X	
1753		<i>Jasione lusitanica</i>				X				X	
1775		<i>Santolina semidentata</i>				X					
1793		<i>Centaurea micrantha</i> ssp. <i>herminii</i>								X	
1796	*	<i>Centaurea borjae</i>				X					
1802	*	<i>Aster pyrenaicus</i>				X					
1805	*	<i>Jurinea cyanoides</i>		X							
1831		<i>Luronium natans</i>	X	X	X	X	X		X		X
1832		<i>Caldesia parnassifolia</i>					X				
1833		<i>Najas flexilis</i>			X			X			X

Code	P	Description	BE	DE	DK	ES	FR	IE	NL	PT	UK
1857		<i>Narcissus pseudonarcissus</i> ssp. <i>nobilis</i>				X				X	
1862		<i>Narcissus cyclamineus</i>				X				X	
1865		<i>Narcissus asturiensis</i>				X					
1868		<i>Narcissus triandrus</i> ssp. <i>capax</i>					X				
1884		<i>Festuca brigantina</i>				X					
1885		<i>Festuca elegans</i>				X				X	
1887		<i>Coleanthus subtilis</i>					X				
1890		<i>Festuca henriquesii</i>								X	
1891		<i>Festuca summilusitana</i>				X				X	
1902		<i>Cypripedium calceolus</i>		X							X
1903		<i>Liparis loeselii</i>	X	X			X		X		X
6216		<i>Hamatocaulis vernicosus</i>	X	X	X	X		X	X		X